

# DINER

Led Candle System for professional use

STAR<sup>®</sup>  
TRADING

# DINER

Fast, easy and flexible

Diner is a new LED Candle concept with a smart design perfect for building atmosphere in public spaces such as restaurants, cafés, hotels, spas, or offices. Forget about dripping wax and expensive tea candles that take forever to light. Diner is quickly charged using a micro USB charger with five ports. The light is easily lit with the press of a button. A starter kit contains five lights and a charger, which is easily expanded to the number of lights you need.



With a magnetic bottom, the LED Candles easily attach to any metallic surface. They can also be hung upside-down as the built-in gravity sensor makes it so that the flame always burns in the right direction. Its size makes Diner the perfect fit for a small table or bar and the light can be set to flicker, fade, or provide a steady light. Diner is approved for outdoor use. The possibilities are endless!



## **SIMPLE AND FAST!**

- Charge up to five candles with one charger and light each with the press of a button.

## **COST EFFECTIVE**

- Replace dripping wax candles and expensive tea candles with Diner, which you can use over and over.

## **FLEXIBLE**

- Begin with a starter kit and expand to the number of candles you need.


## **SAFE AND ENVIRONMENTALLY FRIENDLY**

- Coziness without any fire hazard that is also environmentally friendly

## **IN- AND OUTDOORS**

- Diner is approved for outdoor use

## Create your own Diner solution



GRAVITY  
SENSOR



3 SETTINGS



MAGNETIC  
BOTTOM



MICRO-USB  
CHARGER



APPROVED  
OUTDOORS



3M  
CABLE



### 064-27 DINER START

EAN 7391482045041 2 300cm 13cm 5x96 LED 0.2W  
 5 18650Li-IonRechargeable (Incl) 10h



### 064-28 DINER EXTRA

EAN 7391482045010  
 12 6.5cm 13cm  
 1x96 LED 2W 1 18650Li-IonRechargeable (Incl) 10h



### 064-29 DINER 5 EXTRA

EAN 7391482045034  
 3 6.5cm 13cm  
 5x96 LED 2W 5 18650Li-IonRechargeable (Incl) 10h



# STAR<sup>®</sup>

TRADING

startrading.com

2447EN-CO